



DRIP IRRIGATION



DRIP IRRIGATION

DRIP TAPE FITTINGS

NETAFIM TAPE FITTINGS

Netafim Code	Manufacturer's Code	Description
Z2400A	32500-018800	Tape x 16 x Tape
Z2400D	32500-015250	Tape x 20 x Tape
Z2400	32500-017040	Tape x 16
Z2398	32500-013140	Tape x End Plug
Z2402		Tape x 2 x 3/4" F Fitting
Z2403	32500-015250	Tape x 3/4" M Fitting
Z2405	32500-018300	Grommet X Tape Fitting
Z2406	32500-018045	Tape x Layflat
Z2404	32500-015100	Tape x 1/2" M Fitting



NETAFIM RING ONLY

Netafim Code	Manufacturer's Code	Description
Z4952		Netafim Ring Only



T TAPE FITTINGS

Netafim Code	Manufacturer's Code	Description
Z3431	32500-016010	T Tape Coupling 16
Z3432	32500-016090	T Tape PE Adaptor 16
Z3433	76200-001060	T Tape Take Off x Grommet 16
Z3434	32500-018100	T Tape Take Off For Layflat 16

NETAFIM FLARE FITTINGS

Netafim Code	Manufacturer's Code	Description
Z3445	32500-027030	12mm Connector
Z3446	32500-027130	12mm x 12mm Barb
Z3447	32500-027230	12mm x 1/2" MBSP
Z3448	32500-027330	12mm End Plug
Z3435	32500-025020	16mm Connector
Z3436	32500-025250	16mm x 16mm Barb
Z3437	32500-027700	16mm x 1/2" MBSP
Z3438	32500-025250	16mm End Plug
Z3440	32500-025500	16/17mm Connector
Z3441	32500-025720	16/17mm x 1/2" MBSP
Z3442	32500-025920	16/17mm x 3/4" MBSP



REEL FOR RAM

Netafim Code	Manufacturer's Code	Description
Z4335	80600-001201	2.00m



ANDROS MACHINERY

Netafim Code	Manufacturer's Code	Description
Z3996A		Agri Spool 24"
Z3996		Agri Spool 18"


DRIP IRRIGATION

UNIRAM™


- Compensated non leakage dripper specification
- Operating range 1.0-4.0 Bar
- Anti-syphon mechanism and anti-root intrusion
- Double turbonet drip design means minimal blockage
- Injected silicon diaphragm
- Continuously self flushing with wide filtration area
- Dripper meets ISO 9261 standards



UNIRAM™ 20x1.2mm CNL

Netafim Code	Manufacturer's Code	Description	
Z4093		1.0lph @ 25cm	300m
Z4099	14540-001050	2.3lph @ 25cm	300m
Z4098		2.3lph @ 30cm	300m
Z4097		2.3lph @ 40cm	300m
Z4096		2.3lph @ 50cm	300m

UNIRAM™ RC 16x1mm

Netafim Code	Manufacturer's Code	Description	
Z4080		1.6lph @ 30cm	500m
Z4081	13730-007200	1.6lph @ 40cm	500m
Z4082	13730-007400	1.6lph @ 50cm	500m
Z4083	13730-007520	1.6lph @ 60cm	500m
Z4084		1.6lph @ 75cm	500m

DRIP IRRIGATION

TIRAN™

- TurboNet™ labyrinth with large water passage
- Injected dripper, very low CV
- UV resistant
- Resistant to standard nutrients used in agriculture
- Tiran™ drippers meet ISO 9261 standards
- Injection moulded dripper construction, ensuring uniform drippers and very low CV



TIRAN™ 16

Netafim Code	Manufacturer's Code	Description	
D456362	12020-001200	2.0lph @ 20cm	500m


DRIP IRRIGATION

DRIPLINE™ 1.00MM WALL THICKNESS

- 1.0mm wall thickness
- Compensated dripper operating between 0.4-3.0 Bar
- Turbonet labyrinth design
- Continuously self flushing with wide filtration area
- Injected silicon diaphragm



DRIPNET™ PC 16010

Netafim Code	Manufacturer's Code	Description	
Z4336	17665-001625	1.0lph @ 30cm	500m
Z4337	17665-006470	1.0lph @ 40cm	500m
Z4338	17665-001875	1.0lph @ 50cm	500m
Z4339	17665-002060	1.0lph @ 60cm	500m
Z4211	17665-006860	1.6ltr @ 60cm	500m

DRIP IRRIGATION

DRIPNET™ THINWALL


DRIPNET™ PC 12 250 0.63mm WALL THICKNESS

- 12mm OD minimizes visual impact and reduces unnecessary pipe cost
- Complete range of complimentary fittings, see PE Pipe & Fittings section

Netafim Code	Manufacturer's Code	Description	
Z4329	17260-001210	0.6lph @ 30cm	800m

DRIPNET™ PC 16 125 0.31mm WALL THICKNESS

- Highly reliable Dripnet PC dripper
- Thinner wall allows lower cost
- Complete range of complimentary fittings, see PE Pipe & Fittings section

Netafim Code	Manufacturer's Code	Description	
Z4331A	17600-001915	0.6lph @ 20cm	1350m
Z4332L	17600-002105	0.6lph @ 30cm	1350m
Z4333L		0.6lph @ 40cm	1500m
Z4330	17600-003820	1.0lph @ 20cm	1350m
Z4332	17600-004100	1.0lph @ 30cm	1350m
Z4333		1.0lph @ 40cm	1500m

DRIPNET™ PC 16 150 0.38mm WALL THICKNESS

- 0.38mm wall thickness
- Thicker wall facilitates mechanical handling
- Complete range of fittings including innovative flare range


Netafim Code	Manufacturer's Code	Description	
Z4334A		0.6lph @ 40cm	700m

DRIP IRRIGATION STREAMLINE™


- Available in three wall thicknesses 0.1mm, 0.15mm & 0.2mm
- Turbonet labyrinth dripper design with wide filtration area
- Dripper meets ISO 9261 requirements




4MIL LOW FLOW

Netafim Code	Manufacturer's Code	Description	
Z4398A		20cm	3400m
Z4399A		30cm	3600m

6MIL LOW FLOW

Netafim Code	Manufacturer's Code	Description	
Z4402A	16500-001150	20cm	2600m
Z4403A	16500-001400	30cm	3000m


6MIL

Netafim Code	Manufacturer's Code	Description	
Z4401	16500-004900	20cm	1000m
Z4411	16500-005450	30cm	1000m
Z4400A	16500-004950	20cm	2600m
Z4410A	16500-005530	30cm	3000m

8MIL LOW FLOW

Netafim Code	Manufacturer's Code	Description	
Z4428A	16520-001120	20cm	2200m
Z4429A	16520-001580	30cm	2500m

8MIL

Netafim Code	Manufacturer's Code	Description	
Z4415	16520-006350	10cm	1000m
Z4465	16520-006700	15cm	1000m
Z4421	16520-007130	20cm	1000m
Z4420A	16520-007130	20cm	2200m
Z4431	16520-007600	30cm	1000m
Z4430A	16520-007680	30cm	2500m

DRIP IRRIGATION

CNL DRIPPERS

- Industry leading turbonet labyrinth design with maximum filtration area
- Continuously self cleaning dripper
- Silicon injection moulded diaphragm
- Compensated Non Leakage action eliminates drainage
- Different configurations allows multitude of applications

PCJ LCNL DRIPPERS BARBED

- Operating pressure 0.7-4.0 Bar

Netafim Code	Manufacturer's Code	Description
D456486		1.2ltr
Z5260	21520-001000	2.0ltr
Z5262	21520-001200	3.0ltr
Z5265	21520-001400	4.0ltr
Z3270	21520-001600	8.0ltr

PCJ LCNL DRIPPERS WITH NIPPLE

- Operating pressure 0.7-4.0 Bar

Netafim Code	Manufacturer's Code	Description
Z5275	21520-001100	2.0ltr
Z5276		3.0ltr
Z5280	21520-001500	4.0ltr
Z5277	21520-001700	8.0ltr

PCJ HCNL DRIPPERS BARBED

- Operating pressure 1.5-4.0 Bar
- Higher shut off pressure

Netafim Code	Manufacturer's Code	Description
Z5246	21520-004100	1.2ltr
Z5247	21520-004400	2.0ltr
Z5248	21520-004700	3.0ltr
Z5249	21520-005000	4.0ltr

CNL DRIPPERS

- Operating range for 2.0/4.0/8.5lph 1.0-4.0 Bar with shut off 0.15 Bar

Netafim Code	Manufacturer's Code	Description
Z5200	21020-001300	2.0ltr Low
Z5205	21020-001400	4.0ltr Low
Z5210	21020-001500	8.5ltr Low
Z5215	21060-001000	3.0ltr High
Z5220	21060-001200	6.0ltr High
Z5225	21060-001300	12.0ltr High



DRIP IRRIGATION CNL DRIPPERS

CNL SETS


Netafim Code	Manufacturer's Code	Description
Z5230	40200-001145	80cm Lead Straight Stake
Z5229	02102-456178	1m Lead Straight Stake
Z5231	40200-006400	80cm Lead 'S' Stake
D456950		1m Lead 'S' Stake
Z5232	40200-009035	80cm Lead Mini 'S' Stake

TECHFLOW JUNIOR IN-LINE BARB

Netafim Code	Manufacturer's Code	Description
Z5298C	21600-001800	2.0ltr
Z5298B		3.0ltr
Z5298A	21600-002000	4.0ltr
Z5298		8.0ltr

BUBBLER

Netafim Code	Manufacturer's Code	Description
Z5226		24.0ltr



DRIP IRRIGATION NETAFIM DRIPPERS

POT DRIPPER

Netafim Code	Manufacturer's Code	Description
Z5500	20500-001000	1.0ltr
Z5505	20500-001100	2.0ltr
Z5510	20500-001200	4.0ltr
Z5515		8.0ltr

POTPECKER LOCK

Netafim Code	Manufacturer's Code	Description
Z5560	20520-001000	1.0ltr
Z5565	20520-001100	2.0ltr
Z5570	20520-001200	4.0ltr
Z5575	20520-001300	8.0ltr

BUTTON

Netafim Code	Manufacturer's Code	Description
Z5520	20000-001000	1.0ltr
Z5525	20000-001100	2.0ltr
Z5530		4.0ltr
Z5535	20000-001300	8.0ltr



DRIP IRRIGATION

NETAFIM DRIPPERS

WOODPECKER

Netafim Code	Manufacturer's Code	Description
Z5540	20020-001400	1.0ltr
Z5545	20020-001500	2.0ltr
D450054		3.0ltr
Z5550	20020-001600	4.0ltr
Z5555	20020-001700	8.0ltr



WOODPECKER LOCK

Netafim Code	Manufacturer's Code	Description
Z5536	20020-001100	2.0ltr
Z5537	20020-001200	4.0ltr

SPRAY STAKE

Netafim Code	Manufacturer's Code	Description
Z5587	22500-001000	12.0ltr Yellow
Z5586	22500-001100	18.0ltr Green
Z5588		Extension



INLINE

Netafim Code	Manufacturer's Code	Description
Z5420		2.0ltr



DRIP IRRIGATION

NETAFIM DRIP ACCESSORIES

STAKES

Netafim Code	Manufacturer's Code	Description
Z5637		Prevo Old Style
Z5636		Prevo 'S' Old Style
Z5637A		Prevo New Style Blue
Z5637B		Prevo New Style Black
D450701		Prevo 'S' New Style Blue
Z5636A		Prevo 'S' New Style Black
Z5630		Aqua
Z5632		Clamp
Z5639		Ring
Z5640	32000-001500	Clip



ARROW STAKES

Netafim Code	Manufacturer's Code	Description
D457149		Arrow Low-Flow Stake 1.8ltr
D457151		Arrow Mini 'S' Stake 2.6ltr
Z5240	22000-001000	Arrow Straight Stake 2.6ltr
Z5241	22000-001300	Arrow 'S' Stake 2.6ltr



DRIP IRRIGATION

NETAFIM DRIP ACCESSORIES

LEADS

Netafim Code	Manufacturer's Code	Description
Z5610		5mm 80cm Hard
Z5616		5.5mm x 3.5mm 80cm
Z5617		5.5mm x 3.5mm 60cm
Z5620		5mm Arrow 80cm Soft




CAPILLARY LEADS

Netafim Code	Manufacturer's Code	Description
D451808		1.0ltr 85cm
Z5622		2.0ltr 85cm
Z5621		3.0ltr 85cm
D451831		4.0ltr 85cm

FITTINGS

Netafim Code	Manufacturer's Code	Description
Z5600	32500-001500	Tee 5mm Barbed x Barbed x Barbed
Z5601	32500-001300	Tee 5mm Tee x Barbed x Tee
Z5602	32500-001700	Tee 5mm Tee x Tee x Tee
Z8333		Nipple 4mm
Z5605	76200-000900	Nipple 5mm
Z5604	32000-001100	Dummy 5mm
D450578		Dummy 8mm



DRIPLINE FIGURE 8 STOP

Netafim Code	Manufacturer's Code	Description
Z4966		Figure of 8 12mm
Z4980	32500-013030	Figure of 8 16mm
Z2399	32500-014430	Figure of 8 20mm

DNL

Netafim Code	Manufacturer's Code	Description
Z5607B	32500-010275	20mm Start x 1/2" F



DNL 1/2" M

Netafim Code	Manufacturer's Code	Description
Z56076	32000-003550	2m
Z5607A	32000-003560	4m
Z5607	32000-003570	6m

TOOLS

Netafim Code	Manufacturer's Code	Description
Z5609A	02339-450602	Punch for 2.5mm Capillair
Z4900		Gripper Handle
Z4901		Gripper Garden 3mm Punch
Z4902		Gripper Pro 8mm Punch
Z5603	45000-001320	Dripper Punch with Inserter
Z5606	45000-001000	Metal Hole Punch
Z5608		Economy Hole Punch
Z5609	45000-001100	Mini Punch for Drippers
Z5613		Drip Assembly Tool S/3
Z5614		Layflat Cutter



DRIP IRRIGATION

DRIP ACCESSORIES

- Used to clean the drip lines at the start of each irrigation cycle
- Exhaust flow approximately 4.1 lph per cycle
- Working pressure range 0.1-3.8 Bar

LINE VALVE

Netafim Code	Manufacturer's Code	Description
Z4959	32000-007850	Line Flushing Valve 1/2" M



FLUSHING VALVE

Netafim Code	Manufacturer's Code	Description
Z5612		Line Flushing Valve Tape



LINE VALVE

Netafim Code	Manufacturer's Code	Description
Z4957	32000-008400	1/2" Air/Vacuum



ACCESSORIES

Netafim Code	Manufacturer's Code	Description
D450594	32000-002530	Manifold Flat 2 Way
Z2409A		Netafim Microtube 4/6 Adaptor
Z5245	32000-001400	Netafim Drip Cap
Z4395	32000-003530	RAM 17 Hangers
Z5235F	32000-002560	Loose Manifold Flat 4 Way



DRIP IRRIGATION PRE-ASSEMBLED SETS

NETAFIM WOODPECKER

Netafim Code	Manufacturer's Code	Description
Z5700	02095-457195	2.0ltr 80cm Prevo Black
Z5705	02095-452042	4.0ltr 80cm Prevo Black
Z5701	02095-452140	2.0ltr 80cm Prevo 'S' Black




NETAFIM PCJ LCNL

Netafim Code	Manufacturer's Code	Description
Z5281B	40200-005170	2.0ltr 50cm Prevo Black
Z5281	40200-005180	2.0ltr 80cm Prevo Black
Z5281A	40200-005360	3.0ltr 80cm Prevo Black
Z5282	40200-005825	4.0ltr 80cm Prevo Black
Z5283A	40200-004900	2.0ltr 50cm Prevo 'S' Black
D453419	02088-453419	3.0ltr 60cm Prevo 'S' Black
Z5283	40200-005200	2.0ltr 80cm Prevo 'S' Black
Z5284	40200-005800	4.0ltr 80cm Prevo 'S' Black
Z5285	02088-453375	2.0ltr 80cm Nipple & Cap
Z5286	02088-453370	4.0ltr 80cm Nipple & Cap



NETAFIM PCJ HCNL

Netafim Code	Manufacturer's Code	Description
Z5751	02089-462000	1.2ltr 50cm Prevo
Z5752	40200-047990	2.0ltr 50cm Prevo
Z5753	02089-462034	3.0ltr 50cm Prevo
Z5754	40200-048630	4.0ltr 50cm Prevo
Z5755	02089-462004	1.2ltr 80cm Prevo
Z5756	02089-462018	2.0ltr 80cm Prevo
Z5757	02089-462038	3.0ltr 80cm Prevo
Z5758	02089-462058	4.0ltr 80cm Prevo
Z5759	40200-002545	1.2ltr 50cm Prevo 'S'
Z5760	40200-004905	2.0ltr 50cm Prevo 'S'
Z5761	40200-005905	3.0ltr 50cm Prevo 'S'
Z5762	40200-005510	4.0ltr 50cm Prevo 'S'
Z5763	02089-462006	1.2ltr 80cm Prevo 'S'
Z5764	40200-005130	2.0ltr 80cm Prevo 'S'
Z5765	02089-462040	3.0ltr 80cm Prevo 'S'
Z5766	02089-462060	4.0ltr 80cm Prevo 'S'



POTPECKER

Netafim Code	Manufacturer's Code	Description
Z5725	02095-453457	2.0ltr 80cm Nipple & Cap
Z5730	02095-457244	4.0ltr 80cm Nipple & Cap
Z5729	02095-457251	8.0ltr 80cm Nipple & Cap
Z5729A		8.0ltr 120cm Nipple & Cap



DRIP IRRIGATION PRE-ASSEMBLED SETS

ARROW S STAKE

Netafim Code	Manufacturer's Code	Description
Z5731		80cm 5mm Nipple



ARROW STAKE

Netafim Code	Manufacturer's Code	Description
Z5735	02095-456801	80cm 5mm Nipple



PC SPRAY STAKE

Netafim Code	Manufacturer's Code	Description
Z5740	40200-035050	12lph PC Spray 80cm Lead Only
Z5750	40200-035050	Spray Stake for Above Only (Both Z5740 & Z5750 Required)



DRIP IRRIGATION PRE-ASSEMBLED SETS

Create your own bespoke pre-assembled drip set with Netafim UK. With variations of drip spacing and lengths complete with inserted drippers all tailored to your specific requirements.

FULLY ASSEMBLED DRIP SYSTEMS

Dripper	Lead Length (cm)	Lead Dimensions (mm)	Stake Options	Tube Options (mm)	Dripper Spacing (cm)	Mixed Spacing option	Available in white
PCJ	20-100**	5 x 3.2	Prevo* / Prevo S	16-20-25-32	3-300	Yes	Yes
Bubbler	20-100**	5 x 3.2	Prevo*/Prevo S/ Spraystake	16-20-25-32	3-300	Yes	Yes
Woodpecker	20-100	5 x 3.2	Prevo* / Prevo S	16-20-25-32	3-300	Yes	Yes
Arrow	20-100**	5 x 3.2	Arrow/Arrow S/ Arrow Mini/ Arrow Low Flow	16-20-25-32	3-300	Yes	Yes
Spraystake	40-100**	5 x 3.2	Yellow / Green / Black	16-20-25-32	5-200	No	Yes
Capillair A	40-100**	3.2 x 0.7	Cap Spike / Cap S	16-20-25-32	5-300	Yes	No
Capillair B	40-100**	3.2 x 0.8	Cap Spike / Cap S	16-20-25-32	5-300	Yes	No
Capillair C	40-100**	3.2 x 0.9	Cap Spike / Cap S	16-20-25-32	5-300	Yes	No
Capillair D	40-100**	3.2 x 1.0	Cap Spike / Cap S	16-20-25-32	5-300	Yes	No
Capinet	60**	3.4 x 2.4	Capinet + Capi S	16-20-25-32	5-300	Yes	No

* Prevo can be assembled with alternate blue and black stakes on request

** Longer lead lengths are available on request. Please consult Netafim Customer Services.

SINGLE AND MULTI-OUTLET PRE-INSTALLED DRIPPERS (MULTI-OUTLETS ALWAYS SUPPLIED LOOSE)

Dripper	Lead Length (cm)	Lead Dimensions (mm)	Stake Options	Tube Options (mm)	Dripper Spacing (cm)	Mixed Spacing option	Available in white
CNL				16-20-25-32	5-300	Yes	Yes
PCJ				16-20-25-32	5-300	Yes	Yes
Bubbler				16-20-25-32	5-300	Yes	Yes
Woodpecker				16-20-25-32	5-300	Yes	Yes

LOOSE DRIPPER SETS

Dripper	Lead Length (cm)	Lead Dimensions (mm)	Stake Options
PCJ	30-100	5 x 3.2	Prevo* / Prevo S
Bubbler	30-100	5 x 3.2	Prevo*/Prevo S
Woodpecker	30-100	5 x 3.2	Prevo* / Prevo S
Arrow *	30-120	5 x 3.2	Arrow/Arrow S/ Arrow Mini/ Arrow Low Flow


* Can be mounted on multi-outlet manifolds

DRIP IRRIGATION

LANDSCAPE DRIPLINE

NETAFIM TECHNET AS


- Low cost Netafim landscape drip solution
- 1.0mm wall thickness
- Operating pressure 0.4-3.0 Bar
- Continuously self flushing
- Dark brown North Europe colouration

Netafim Code	Manufacturer's Code	Description	
Z4700	17679-004400	16mm 1.6lph 0.30cm	100m
Z4702	17679-004380	16mm 1.6lph 0.30cm	25m
Z4703	17679-004600	16mm 1.6lph 0.50cm	100m



NETAFIM TECHLINE AS

- Pressure compensated anti syphon dripper
- Operating pressure 0.5-4.0 Bar
- Wall thickness 1.2mm
- Dark brown North Europe colouration
- Continuously self flushing

Netafim Code	Manufacturer's Code	Description	
Z4714	14690-003500	16mm 2.3lph 0.30cm	100m
Z4716	14690-003800	16mm 2.3lph 0.50cm	100m
Z4713	14690-002500	16mm 1.6lph 0.30cm	100m

NETAFIM TECHLINE CNL

- Compensating non leakage dripper specification
- Wall thickness 1.2mm
- Operating pressure 1.0-4.0 Bar
- Dark brown North Europe colouration
- Continuously self flushing

Netafim Code	Manufacturer's Code	Description	
Z4708	14705-003300	16mm 2.3lph 0.30cm	100m

LANDLINE 8MM

- 8mm Tube
- Flow rate at 1.0 Bar 1.9lph
- Max working pressure 2.0 Bar
- Range of 8mm fittings to suit
- Ideal for small landscape areas

Netafim Code	Manufacturer's Code	Description	
Z4932		No Dripper	30m